

## Sample Handling

Samples should be air-dried on a clean surface overnight. Avoid areas where dust will come in contact with the samples. Break up all clods or lumps, and spread the soil evenly for uniform drying. After drying, thoroughly mix the sample and take about a pint (1 lb) and place it the soil sample bag. Make sure that the sample volume reaches the fill line. Close the top of the bag securely, and label the bag carefully with your name, address, email, plant code, and sample number. Place the soil bag in the pre-stamped mailer. Fill out the sample submission form, including the type of plants you intend to grow. You may pick three crop codes per sample submission. Place the submission form in the mailer, seal, write your name and address on the mailer, and place it in your mailbox.

## Frequently Asked Questions

**Q: When and how often should soils be tested?**

**A:** Soils can be tested any time during the year. However, allow enough time for the analysis and for fertilizer and lime application. Lime reacts slowly and, if possible, it should be mixed with the soil two to three months before planting. Generally, fall is the most desirable time to sample because landscapes and gardens are usually dry and easily accessible.

Once medium or high fertility levels are established, lawn and ornamental areas need to be sampled every two to three years.

**Q: How soon will I get my results back (turn-around-time)?**

**A:** The analysis takes two to three working days from the time the lab receives the samples. In general, it takes **seven to ten days** from the time we receive the samples to the time you get your test reports back.

**Q: Who do I contact regarding my soil test results and recommendations if I don't understand the numbers?**

**A:** The Soil Test Report provides an interpretation of all soil tests done by the Soil Testing Lab and is accompanied by appropriate nutrient and lime recommendations. If the samples come from Georgia, your local extension office will send you the report by email. Any question about the report including its interpretation may be directed to your local extension agent. If you need further information, contact your local UGA Cooperative Extension office at 1-800-ASK-UGA -1.

**Q: Can I visit your laboratory?**

**A:** We welcome visitors to the laboratory. You may contact us ([soiltest@uga.edu](mailto:soiltest@uga.edu)) to schedule a lab tour.

**Leticia S. Sonon and David E. Kissel**

Agricultural and Environmental  
Services Laboratories

University of Georgia Cooperative Extension

(706-542-5350)

<http://aesl.ces.uga.edu>

Adapted from UGA Extension Circular 896/March 2014

The University of Georgia, Fort Valley State University, the U.S. Department of Agriculture and counties of the state cooperating. UGA Extension offers educational programs, assistance and materials to all people without regard to race, color, national origin, age, gender or disability.

**The University of Georgia is committed to principles of equal opportunity and affirmative action.**



# SOIL TEST KIT

For Home Lawns,  
Gardens and Wildlife  
Food Plots



## Background

Developing and maintaining productive soils begin with soil testing. Soil tests provide information on the soil's actual nutrient status. Test results are used to determine the amount and kind of nutrients that should be added for the best growth of lawn, garden and other types of plants.

## Steps in Soil Sampling

Recommendations about when and how to apply nutrients are only as good as the soil sample submitted for analysis. To obtain a representative soil sample, the following steps are useful: identify sampling locations (zones), determine the sampling depths, use the right sampling tools, sample at the right time, and handle the samples accordingly.

### 1. Sampling Locations

Map out the area where the plants are to be grown or are presently growing. This will help in record keeping and ensure that the soil is taken from throughout the entire area. Divide the area such that each soil sample represents one soil type or condition. An area that has been divided according to obvious differences in plant performance, soil types, and drainage is shown in Figure 1.




Figure 1. Area divided according to vegetation and soil characteristics. Yellow dots indicate sampling points.

- Use a zigzag approach when taking samples. Collect 8-10 soil samples from each location (zone) as shown in Fig. 1.
- For trees and shrubs, take soil samples from six to eight spots around the drip-line of the plants.

### 2. Sampling Depth

The depth of sampling depends on the type of plants being grown.

- For lawns, **sample to a depth of 4 inches.**
- For gardens, ornamentals, mixed fruit trees and wildlife plots, **sample to a depth of 6 inches.**

### 3. Sampling Time

Soil sampling should be done well in advance of planting or spring green-up. This allows adequate time for sample analysis, data interpretation, and fertilizer and lime application.

### 4. Sampling Tools

Use clean sampling tools and containers to avoid contaminating the soil sample. Never use tools or containers that have been used for fertilizer or lime. Collect samples with tools like clean trowel or small shovel may be used to collect samples.

### 5. Sampling Procedures

Clear the ground surface of grass thatch or mulch (Figure 2). Using a trowel or shovel, push the tool to the desired depth into the soil.




Figure 2. Remove grass thatch or mulch before sampling.

Push the handle forward, with the spade still in the soil to make a wide opening. Then, as shown in Figure 3, cut a thin slice from the side of the opening that is of uniform thickness, approximately  $\frac{1}{4}$  inch thick and 2 inches in width, extending from the top of the ground to the depth of the cut. Collect from several locations. Combine and mix them in a plastic bucket to avoid metal contamination. Take about a pint of the mixed soil and place it in the UGA soil sample bag. Be sure to identify the sample clearly on the bag and the submission form before mailing.



Figure 3. Soil sampling with a trowel.