

The University of Georgia
 College of Agricultural and Environmental Sciences
 Cooperative Extension Service
 SOIL, PLANT, AND WATER LABORATORY
 2400 College Station Rd.
 Athens GA 30602

Lab Use Only

LAB# _____

Received by: _____

Date and Time: _____

WATER SUBMISSION FORM

Please Note: Retain a copy of this form for your files. Submit one copy per sample.
 Test results may be available to other parties through the Georgia Open Records Act.

SUBMITTING COUNTY*	Sample location <i>(If different from client's address)</i>		
<p>COUNTY: _____</p> <p>Client Name: _____</p> <p>Client Address: _____</p> <p>City, State, Zip: _____</p> <p>Phone #: _____</p> <p>E-mail: _____</p> <p><small>* Note: Test results will be sent to the submitting county office.</small></p>	<p>County: _____</p> <p>Client Name: _____</p> <p>Sample Address: _____</p> <p>City, State, Zip: _____</p> <tr style="background-color: #e0e0e0;"> <th colspan="2" style="text-align: center;">Other Information</th> </tr> <p>Date Received: _____</p> <p>Sample ID: _____</p> <p>Date/time of Collection: _____</p>	Other Information	
Other Information			
TYPE OF SAMPLE (Check One):			
<p><input type="checkbox"/> Household Well <input type="checkbox"/> Irrigation Well <input type="checkbox"/> Irrigation Pond <input type="checkbox"/> Municipal Water <input type="checkbox"/> Fish Pond <input type="checkbox"/> Other: _____</p> <p>If the water source is a well, please provide: Well Depth: _____ feet Well Casing Diameter: _____ inches</p> <p>What is the end use of the water? _____</p> <p>Briefly describe any problems and/or reasons for testing water: _____</p>			
TESTS REQUESTED			
<p><input type="checkbox"/> W1 - Basic Test (Includes: pH, P, K, Ca, Mg, Mn, Fe, Al, B, Cu, Cr, Mo, Ni, Si, Na, Zn, Calculated Hardness)</p> <p><input type="checkbox"/> W2 (500mL/16 oz.) - GA Expanded Water Test (Includes: W1, Anions, Soluble Salts, Alkalinity)</p> <p><input type="checkbox"/> W33 (1 liter/quart) - GA Certification for Drinking Water Providers (Drop off within 24 hours, or Ship Overnight.)</p> <p><input type="checkbox"/> W42 - Arsenic (As) <input type="checkbox"/> W42 - Lead (Pb) <input type="checkbox"/> W42 - Uranium (U) W42 - Other: _____</p> <p><input type="checkbox"/> W4 - Nitrate (NO₃-N) <input type="checkbox"/> W7 - Nitrite (NO₂-N) Other Tests: _____</p>			
FOR LAB USE ONLY			
<p>Payment Received: _____ Date Returned: _____</p> <p>pH _____ NO₂-N _____ E.C. _____</p> <p>F _____ Cl _____ NO₃-N _____ PO₄ _____ SO₄ _____</p> <p>Special Notes:</p>			



Basic Water Test W-1

The cost for this test is \$23.00. Samples can be collected in a small water bottle; this then will be transferred to the correct bottle at the Extension office. This test is typically completed for ponds only.

The following elements are included in the Basic Water Test results from The University of Georgia, Soil, Plant and Water Laboratory:

pH and Hardness	Manganese (Mn)	Nickel (Ni)
Phosphorus (P)	Cooper (Cu)	Magnesium (Mg)
Potassium (K)	Boron (B)	Calcium (Ca)
Iron (Fe)	Molybdenum (Mo)	Aluminum (Al)
Zinc (Zn)	Silica (Si)	Chromium (Cr)
Sodium (Na)		

W2 Expanded Water Test

The cost for this test is \$66.00. The sample must be submitted in a clean, sterile bottle, which can be picked up from the County Extension Office. We recommend that all drinking water samples be collected from the kitchen faucet or from the faucet used most often for drinking. Fill the bottle with the first flush of water that comes from this faucet as if you were filling a drinking glass.

The elements listed for W-1 will also be tested in the W-2 Expanded Water Test results along with the additional following elements:

Alkalinity	Carbon Dioxide (CO2)
Chloride (Cl)	Conductivity (Specific Conductance @ 25°C)
Fluoride (F)	Nitrate-Nitrogen (NO —N)
Phosphate (PO4)	Silica (SiO2)
Total Dissolved Solids (TDS) - Estimated	

Please bring samples to Columbia County Extension Office Monday 8:30 am – Friday 12 pm. We accept Visa, Mastercard & Discover card payments only. You will receive your results in approximately 10 business days via email, please check your spam inbox. If you have not received results, please call 706-541-4011.