

## Frequently Asked Questions

### Q: When and how often should soils be tested?

A: Soils can be tested any time during the year. However, allow enough time for the analysis and for fertilizer and lime application. Lime reacts slowly and, if possible, it should be mixed with the soil two to three months before planting.

Generally, fall is the most desirable time to sample because landscapes and gardens are usually dry and easily accessible.

Once medium or high fertility levels are established, lawn and ornamental areas need to be sampled every two to three years.

Vegetable gardens should be sampled every 1 to 2 years.

### Q: How soon will I get my results back (turn-around-time)?

A: The analysis takes two to three working days from the time the lab receives the samples. In general, it takes 7 to 10 days from the time we receive the samples to the time you get your test reports back.

### Q: Who do I contact regarding my soil test results and recommendations if I don't understand the numbers?

A: The Soil Test Report provides an interpretation of all soil tests done by the Soil Testing Lab and is accompanied by appropriate nutrient and lime recommendations. If you need further information about your test results, contact your local University of Georgia Cooperative Extension office.

---

Dr. Jason Lessl and Dr. Uttam Saha Agricultural and Environmental Services  
Laboratories, University of Georgia  
Cooperative Extension | (706) 542-5350 • aesi.ces.uga.edu

*This brochure was modified and adapted in part from the materials prepared by Dr. Owen Plank titled "Soil Testing for Home Lawns and Gardens."*

**Circular 896 Reviewed October 2015**

The University of Georgia and Fort Valley State University, the U.S. Department of Agriculture and counties of the state cooperating. UGA Extension offers educational programs, assistance and materials to all people without regard to race, color, national origin, age, gender or disability.

The University of Georgia is committed to principles of equal opportunity and affirmative action.

---

# SOIL TESTING

For Home Lawns, Gardens  
and Wildlife Food Plots

---



Developing and maintaining productive soils begin with soil testing. Soil tests provide information on the soil's actual nutrient status. Test results are used to determine the amount and kind of nutrients that should be added for the best growth of lawn, garden, and other types of plants.

UGA Extension Forsyth County / 4-H  
5110 Piney Grove Road | Cumming, GA 30040

770-887-2418

Basic Soil sample cost:

\$10 (Cash or Check)

Office is open Monday-Friday, 8am-5pm.



## Steps in Soil Sampling

Recommendations about when and how to apply nutrients are only as good as the soil sample submitted for analysis.

To obtain a representative soil sample, the following steps are useful: identify sampling locations (zones), determine the sampling depths, use the right sampling tools, sample at the right time, and handle the samples accordingly.

## Sampling Locations

Map out the area where the plants are to be grown or are presently growing. This will help in record keeping and ensure that the soil is taken from throughout the entire area.


Divide the area such that each soil sample represents one plant type or condition. An area that has been divided according to obvious differences in plant types, plant performance, soil types, and drainage is shown in Figure 1.

Use a zigzag approach when taking samples. Collect 8-10 soil samples from each location (zone) as shown in Figure 1.


For trees and shrubs, take soil samples from six to eight spots around the drip-line of the plants. Sampling Depth

The depth of sampling depends on the type of plants being grown.

For lawns, sample to a depth of 4 inches. For gardens, ornamentals, mixed fruit trees and wildlife plots, sample to a depth of 6 inches.



**Figure 1.** Area divided according to vegetation and soil characteristics. Yellow dots indicate sampling points.



**Figure 2.** Remove grass thatch or mulch before sampling.



**Figure 3.** Soil sampling with a trowel.

## Sampling Depth

The depth of sampling depends on the type of plants being grown.

For lawns, sample to a depth of 4 inches.

For gardens, ornamentals, mixed fruit trees and wildlife plots, sample to a depth of 6 inches.

## Sampling Time

Soil sampling should be done well in advance of planting or spring green-up. This allows adequate time for sample analysis, data interpretation, and fertilizer and lime application.

## Sampling Tools

Use clean sampling tools and containers to avoid contaminating the soil sample. Never use tools or containers that have been used for fertilizer or lime. Collect samples with tools like trowels, shovels, spades, hand probes or hand augers.

## Sampling Procedures

Clear the ground surface of grass thatch or mulch (Figure 2). Using a trowel, push the tool to the desired depth into the soil. Push the handle forward, with the spade still in the soil to make a wide opening. Then, as shown in Figure 3, cut a thin slice from the side of the opening that is of uniform thickness, approximately 1/4-inch thick and 2 inches in width, extending from the top of the ground to the depth of the cut. Collect from several locations. Combine and mix them in a plastic bucket to avoid metal contamination. Take about a pint of the mixed soil and place it in the Zip Lock bag. Be sure to identify the sample clearly on the bag, please do not place your phone # or email on the zipper bag.

## Sample Handling

Samples should be air dried overnight. Dry samples on a flat surface lined with clean white paper. Take care to avoid contamination. After drying, transfer the sample to a zip lock bag or container and bring it to your local extension office. Your extension office will send samples to:

## UGA Soil, Plant and Water Lab

University of Georgia | 2400 College Station Road | Athens, GA 30602-9105